

## QUICK USER INSTRUCTIONS

Please read the complete manual of the stair climber. This document does not replace the manual; rather it illustrates certain phases in schematic form for quick, safe use. Operators must be trained on how to use the trolley according to the use and maintenance manual.


# ASCENT PROCEDURE

1.
  - Turn the start key.
  - Press the key to "1" (ascent) (see photo to the side)
  - The two support feet automatically go into the correct position.

N.B. When selecting ascent, it is preferable for the trolley to be UPRIGHT rather than tilted. The load must always be securely fastened to the trolley with the specific strap.




2. Correct position of the feet for ASCENT (see photo to the side)




3.
  - Approach the stairs to begin the ascent
  - The operator will go up the stairs backwards.

**important:**

Pull the trolley so that it rests completely on the step! (see photo to the side)



**RIGHT**



4. Keep the trolley with the load balanced in the right centre of gravity and push the red "start" button.

**attention:** As soon as the feet rest on the step, push the load down slightly, so as to counteract the tiny forward movement of the load itself (see photo to the side).



- 5.** Once you have climbed the step, as soon as the two large grey wheels are resting on the step itself, pull them until they are resting completely against the next step (SEE THE RIGHT WAY AT POINT NO. 3) and start from this point.



## **6. Important** (Only for the FOLDING BUDDY LIFT model)



When stationary **NEVER** leave the lifted load without an operator holding it. Remember to always lower the load when the trolley is upright and when the load itself is not held up by an operator; otherwise the load could overturn, creating a hazard.



**NO**



**YES**

## **7. attention**

Only for mod. FOLDABLE BUDDY LIFT

**ALWAYS** make sure, both when going up and going down and **BEFORE** starting any transport, that the locking tabs of the foldable structure are fully inserted into the corresponding hole on the structure, so as to ensure the upper handle is securely locked in place.



**NO**



**YES**

## **8. HELPFUL ADVICE**

### **attention**

- Be careful not to inadvertently change the direction of travel (from ascent to descent or vice versa) while going up or down a flight of stairs.
- **On flat sections:** to use the trolley on flat sections, it is advisable to put the two feet in the ascent position so the load can be tilted significantly without the two feet touching the ground.

## QUICK USER INSTRUCTIONS

Please read the complete manual of the stair climber. This document does not replace the manual; rather it illustrates certain phases in schematic form for quick, safe use. Operators must be trained on how to use the trolley according to the use and maintenance manual.


# DESCENT PROCEDURE

1. Press the key to "2" (descent) (see photo to the side)  
The two support feet automatically go into the correct position.

N.B. When selecting descent, it is preferable for the trolley to be UPRIGHT rather than tilted. The load must always be securely fastened to the trolley with the specific strap.



2. Correct position of the feet for DESCENT (see photo to the side)



3. As soon as the mechanism is positioned correctly for descent, push the wheels off the step so that the feet are resting on the ground (see photo to the side).

N.B. When the weight exceeds 40 kg, the feet will automatically begin the descent. If the weight is less than 40 kg, simply give it a boost by pressing the red "start" button once.



## 4.attention:

While descending, when the two large grey wheels touch the step below, keep them RESTING against the back of the step (as shown in the photo to the side) and wait for the two electric feet to go under the wheels and automatically position themselves correctly for descent.

**important:** When going under the wheels, the two feet make the trolley do a tiny "hop" and position themselves automatically in the correct position.





5. Only after the trolley has “hopped” can the two large grey wheels then be moved forward because the mechanism is ready to go down to the next step.



## 6. things to never do:

**NEVER** push the large grey wheels **BEFORE** the two feet have gone under the wheels and made the trolley “hop”.

## 7. Important (Only for the FOLDING BUDDY LIFT model)



When stationary **NEVER** leave the lifted load without an operator holding it. Remember to always lower the load when the trolley is upright and when the load itself is not held up by an operator; otherwise the load could overturn, creating a hazard.



**NO**



**YES**

## 8. HELPFUL ADVICE

### attention

Do not inadvertently change the direction of travel (from ascent to descent or vice versa) while going up or down a flight of stairs.

#### On flat sections:

To use the trolley on flat sections, it is advisable to put the two feet in the ascent position so the load can be tilted significantly without the two feet touching the ground.