



BRAVI
— **PLATFORMS**



Leonardo HD
Indoor & Outdoor



LUI 460



Solo-Gyps



Peri-Skydeck
Panel Holder



Sprint



Sprint LP




Sprint TL




Spin-Go

Leonardo HD






A	2900 mm	9 ft 6 in
B	4900 mm	16 ft
C	1700 mm	67 in
D	760 mm	30 in
E	1192 mm	47 in
F	1747 mm	68.7 in
G	1036 mm	40.7 in
H	630 mm	24.8 in
I	400 mm	15.7 in
J	92 mm	3.6 in
K	87 mm	3.4 in
	180 kg	397 lbs.
	530 kg	1170 lbs
	560 kg	1234 lbs
	1	2
	3 Km/h	1.9 mph
	0,6 Km/h	0.35 mph
	16 / 21 sec	16 / 21 sec
L	ZERO	ZERO
M	1200 mm	3 ft 11 in
	One hand proportional controller	One hand proportional controller
	35%	35%
	1.1 Imp. gal	1.3 U.S. gal
	110/220 V ca 24Vcc	110/220 V ca 24Vcc
	n° 2 - 12V; 85Ah@20h 105Ah@20h	n° 2 - 12V; 85Ah@20h 105Ah@20h
* Provided with Oil Leak Protection System		



Solo-Gyps

Drywall lifter attachment




A	4900 mm	16 ft
	45 kg	99.3 lbs
	40 kg	88.3 lbs
	max. 3650 mm	max. 12 ft



*compatible only with Leonardo HD

Skydeck Panel Holder




Capacity	1	1
Panel 	16 kg	35 lbs
Net weight 	4.2 kg	9.4 lbs
Panel size 	1500 x 750 x 120 mm	4,9 ft x 2,4 ft x 4.7 in
Max Holders n°	3	3




*compatible only with Leonardo HD

LUI 460






A	4620 mm	15 ft 2 in
B	6620 mm	21 ft 8 in
C	2376 mm	7 ft 9.5 in
D	760 mm	29 in
E	1659 mm	5 ft 5 in
F	1850 mm	1850 mm
G	1560 mm	5 ft
H	680 mm	27 in
I	340 mm	13.4 in
	100 mm	4 in
	280 kg	617 lbs.
	1250 kg	2755 lbs
	2	2
	3 Km/h	1.9 mph
	0,6 Km/h	0.35 mph
L	ZERO	ZERO
M	1700 mm	67 in
	35%	35%
	110/220 V ca 24Vcc	110/220 V ca 24Vcc
	n° 2 - 12V; 85Ah@20h 105Ah@20h	n° 2 - 12V; 85Ah@20h 105Ah@20h




Sprint







A	5350 mm	10 ft 11 in
B	3350 mm	17 ft 6 in
C	1440 mm	4 ft 8 in
D	1500 mm	4 ft 11 in
E	808 mm	31.8 in
F	360 mm	14 in
G	130 kg	286 lbs
H	113 kg	249 lbs
I	90 kg	198.4 lbs
	690 kg	1521 lbs
	1	1
	5 Km/h	3.1 mph
	1,2 Km/h	0.74 mph
L	ZERO	ZERO
M	1600 mm	5.11 in
	2°	2°
	110/220 V ca 24Vcc	110/220 V ca 24Vcc
	n° 4 - 6V; 245Ah@20h	n° 4 - 6V; 245Ah@20h



Sprint TL






A	5350 mm	17 ft 6 in
B	3350 mm	11 ft
C	722 mm	28.4 in
D	1600 mm	63 in
E	1995 mm	78.5 in
F	808 mm	31.8 in
G	2243 mm	88.3 in
H	1500 mm	59 in
I	100 kg	220 lbs
L	360 mm	14 in
M	410 mm	16.1 in
	130 kg	286 lbs
	794 kg	1750 lbs
	1	1
	5 km/h	3.1 mph
	1.2 km/h	0.7 mph
	2°	2°
	110/220 V ca 24Vcc	110/220 V ca 24Vcc
	n° 4 - 6V; 245Ah@20h	n° 4 - 6V; 245Ah@20h

Sprint LP






A	3350 mm	10 ft 11 in
B	5350 mm	17 ft 6 in
C	1440 mm	4 ft 8 in
D	1500 mm	4 ft 11 in
E	808 mm	31.8 in
F	360 mm	14 in
G	130 kg	286 lbs
H	90 kg	198.4 lbs
I	60 kg	132.2 lbs
	714 kg	1574 lbs
	1	1
	5 Km/h	3.1 mph
	1,2 Km/h	0.74 mph
	2°	2°
	110/220 V ca 24Vcc	110/220 V ca 24Vcc
	n° 4 - 6V; 245Ah@20h	n° 4 - 6V; 245Ah@20h

Spin-Go





A	2168 mm	7 ft 11 in
B	4168 mm	13 ft 67 in
C	1480 mm	4 ft 8 in
D	1150 mm	3 ft 8 in
E	730 mm	2 ft 39 in
F	367 mm	14.4 in
 G	130 kg	286 lbs
 H	90 kg	198 lbs
 I	90 kg	198 lbs
	280 kg	617 lbs
	1	1
	110/220 V ca 12 Vcc	110/220 V ca 12 Vcc
	N° 1 12V; 85Ah@20h	N° 1 12V; 85Ah@20h

Options and Accessories



SIDE GUIDE ROLLERS



WHEEL-LOCK



**COMPLETE
GATE INTERLOCK**



BUMPER GUARD




HOOK FOR TRAILER



TRAILER



LED LIGHTS



**BOX-SHAPED
LOAD DECK**



BOTTLE HOLDER



BADGE READER



KEYPAD



SCANNER HOLDER



COURTESY BIN



AGM BATTERIES



LITHIUM BATTERIES



Braviisol D.M. SRL
SS Adriatica 16 km 314.600
60022 Castefidardo (AN) ITALY
www.bravi-platforms.com