

Work made easy.



Work made **easy.**



Table of contents

Matador

Prologue	4-5
The story of Matador	6-7
Made in Holland	8-9
Icons Legenda	10
History of Matador	12-13
Whats new	14-15

Collection

Wheelbarrows	16 - 41
Handtrucks	42 - 59
Locks & Security	60 - 65
Building & Logistics	66 - 83
Platformtrucks & Rollcontainers	84 - 107
E-Matador	108 - 119
Workspace	120 - 129
Parts	130 - 137
POS	138 - 139
Comming soon	140 - 141

Matador BV

Torenstraat 29, 5268 AS Helvoirt P.O. Box 2, 5268 ZG Helvoirt The Netherlands

+31(0)411-64 13 88 info@matadorbv.nl www.matadorbv.com




About Wheelbarrows

At our state-of-the-art factory in the Netherlands, we proudly manufacture all our high-quality wheelbarrows. Rooted in a rich heritage and an unwavering commitment to excellence, our wheelbarrows stand for durability, reliability and unrivalled performance. Choose authentic Dutch design and quality for all your wheelbarrows.

Long lasting steel rim with double sealed ball bearings.



Oval tubing for extra comfort and strenght



Natural rubber hand-grips for protection



Index

Easy Rider Wheelbarrows	20-21
Construction Wheelbarrows	22-23
Basic Wheelbarrow	24-25
Brick Wheelbarrows	26-27
Tool Wheelbarrows	28-31
Other Wheelbarrows	34
Toro Wheelbarrow	35
Profimax Wheelbarrows	36-37
Kids Wheelbarrow	38-39
Noka Series Wheelbarrow	40-41

Easy Rider Wheelbarrows

Our Easy Riders are high-performance wheelbarrows, made from robust powdercoated steel. Enjoy ergonomic handling with higher handles and natural rubber grips for a secure, comfortable hold.



115 series

Max lift till: 250 Kg. LxWxH: 1450x590x620mm Tray: 1,2mm thick Volume: 80 L

18320-M-115-CT-WB

13727-M-115-CT

13725-M-115-L4

Weight: from 16,8 Kg

18179-M-115-CT-RH-WB 15444-M-115-CT-RH 15439-M-115-L4-RH

Weight: from 16,6 Kg. Max lift till: 250 Kg. LxWxH: 1450x590x620mn Tray: 1,2mm thick Volume: 100 L



Wheel options:





L4


WB

20 Wheelbarrows Made in Holland





Maximum lifting capacity lifting eyes: 200 Kg.



100 series

Construction Wheelbarrows

Introducing our Standard Construction Wheelbarrow Series! With an 80-liter universal tray, steel rim featuring double sealed ball bearings, oval ergonomic natural rubber handles, flat piping for enhanced strength and weight reduction, and an environmentally-friendly gray powder-coated finish, our wheelbarrows are the ultimate choice for construction needs.

Standard

10822-M-100-CT 10816-M-100-L4



Weight: 15,8 Kg Max lift: 250 Kg LxWxH: 1460x580x620mm Tray: 1mm thick Volume: 80 L

Classic

10852-M-110-CT 10846-M-110-L4



Weight: 15,8 Kg Max lift: 250 Kg LxWxH: 1450x590x620mm Tray: 1,2mm thick Volume: 80 L

Reinforced

10866-M-120-CT 10860-M-120-L4

Weight: 20 Kg Max lift: 250 Kg LxWxH: 1450x590x620mm Tray: 1,2mm thick Volume: 80 L

Wheel options:



L4

Reinforced Ractangular

13104-M-120-CT-RH 12145-M-120-L4-RH

Weight: 17 Kg Max lift: 250 Kg LxWxH: 1460x590x620mm Tray: 1,2mm thick Volume: 100 L



Extra Reinforced

10874-M-130-CT 10868-M-130-L4

Weight: 18,6 Kg Max lift: 250 Kg LxWxH: 1450x590x620r Tray: 1,2mm thick Volume: 80 L



Basic Wheelbarrow

Our basic wheelbarrow is the perfect entry-level model for use on a professional construction site. Equipped with ball bearings and natural rubber handles, this wheelbarrow is made of powdercoated steel.

> 18557-M-092-CT 16005-M-092-L4-GST*

Weight: from 15,2 Kg. Max lift: 250 Kg. LxWxH: 1460x580x620mm Tray: 1mm thick Volume: 80 L


*16005 is equipped with high-gloss steel rim



Wheel options:



L4



090 series

 \bigcirc



Our brick wheelbarrows are the perfect solution for transporting and protecting your bricks and other materials! Choose from a range of options, including the Classic and the more ergonmic models. We have everything you need. Made of robust powdercoated steel, our stone wheelbarrows are built to withstand the most demanding tasks.

18351-M-230-CT-WB-2W UNIPRO 13556-M-230-CT-2W UNIPRO 13555-M-230-L4-2W UNIPRO

Weight: from 19 Kg. Max lift: 250 Kg. LxWxH: 1575x706x698mm Platform: (LxW) 848x433mm Load capacity: 90-stone Height back: 280mm




18350-M-230-CT-WB UNIPRO 13554-M-230-CT UNIPRO 13553-M-230-L4 UNIPRO

Weight: from 16 Kg. Max lift: 250 Kg. LxWxH: 1575x706x698mm Platform: (LxW) 848x433mm Load capacity: 90-stone Height back: 280mm




Wheel options:



СТ

26 Wheelbarrows Made in Holland



200 series

C

 \bigcirc

Q

1x •



L4

18776-M-240-CT 2W UNIPRO 18777-M-240-L4 2W UNIPRO

Weight: from 27,8 Kg. Max lift: 250 Kg. LxWxH: 1704x770x914mm Platform: (LxW) 880x760mm Height back: 570mm



10918-M-210-CT 10912-M-210-L4

Weight: from 17,8 Kg. Max lift: 250 Kg. LxWxH: 1440x600x940mm Platform: (LxW) 450x450mm Load capacity: 60-stone Height back: 540mm



10910-M-200-CT 10904-M-200-L4

Weight: from 16,8Kg. Max lift: 250 Kg. LxWxH: 1440x600x940mm Platform: (LxW) 450x450mm Load capacity: 60-stone Height back: 540mm



Tool Wheelbarrows

Our all terrains mobile toolboxes, the ultimate solution for transporting and safeguarding your tools! With various options to choose from, including the Classic, tiltable, and the one with extra drawers for smaller tools and screws, we've got you covered. Crafted from durable powder-coated steel, our Tool Wheelbarrows are designed to withstand the toughest of jobs while keeping your tools secure and organized.

18755-M-106-CT LADES 18727-M-106-L4-LADES

Weight: from 60,6 Kg. Max lift: 250 Kg. LxWxH: 1450x540x850mm Tray(LxW): 900x500x430mm Volume: 190L



18757-M-106-CT-2W LADES 18756-M-106-L4-2W LADES

Weight: from 64,1 Kg. Max lift: 250 Kg. LxWxH: 1450x540x850mm Tray(LxW): 900x500x430mm Volume: 190L



Wheel options:





106 series

10839-M-106-CT 10829-M-106-L4

Weight: from 40,6 Kg. Max lift: 250 Kg. LxWxH: 1450x540x850mm Tray(LxW): 900x500x430mm Volume: 190L





4 pieces will fit in 1 Toolwheelbarrow





106 series

Tool Wheelbarrows

Our tool wheelbarrows, the ultimate solution for transporting and safeguarding your tools! With various options to choose from, including the Classic, tiltable, and the one with extra drawers for smaller tools and screws, we've got you covered. Crafted from durable powder-coated steel, Our patented tool wheelbarrows are designed to handle the toughest jobs and keep your tools safe and organised.


10841-M-106-CT-2W 10833-M-106-L4-2W

Weight: from 44,1 Kg. Max lift: 300 Kg. LxWxH: 1450x540x850mm Tray(LxW): 900x500x430mm Volume: 190L




15092-M-106-CT-KANT 2W 12100-M-106-L4-KANT 2W

Weight: from 44,9 Kg. Max lift: 300 Kg. LxWxH: 1450x540x850mm Folded: 1570x660x535mm Tray(LxW): 900x500x430mm Volume: 190L



11530-M-106-CT-KANT 11616-M-106-L4-KANT

Weight: from 41,4 Kg. Max lift: 250 Kg. LxWxH: 1450x540x850mm Folded: 1570x660x535mm Tray(LxW): 900x500x420mm Volume: 190L



Wheel options:




L4



About Matador Grey

Matador® has its own 99 shades of grey! Over the years our colour grey has grown into a 'Matador®-own color grey'! We use a thermosetting upcycled polyester powder, composed of dozens of waste powders that are released from production.



The use of powder coating has many advantages: it's ECO-Responsable, concrete residues are easy to remove from the wheelbarrow, it has good adhesion qualities and is more scratch-resistant than other paints. In addition, the application of powder coating is more durable. There are no solvents such as white spirit or turpentine used during the process.

Other Wheelbarrows

Discover our wide range of products to suit every need! From the sturdy K1 wheelbarrow to the easily transportable export models, we've got something for everyone. Embrace quality and convenience in one place!



12409-M-K1-CT 12324 M-K1-L4 Weight: from 25,2 Kg. Max lift: 250 Kg. LxWxH: 1530x710x810mm Tray: 1,25mm thick Volume: 90L 10940 M-620-KL4.Z C Delivered per 900 pieces in a container. 10938 M-620-KL4.Z. K Delivered per 50 pieces in case Weight: from 15,1 Kg. Max lift: 250 Kg. LxWxH: 1460x590x680mm Tray: 1mm thick Volume: 80L

Wheel options:



Toro Ergo-barrow

Our patented TORO® replaces traditional wheelbarrows with ease. No more lifting just push loads up to 60kg effortlessly. Specially designed handles make turning and tipping a breeze. Say goodbye to back strain with TORO®'s improved weight and handle height. Stay secure with the easy-to-use brake system. Upgrade to TORO® for smarter, safer and more ergonomic work.

18448 M-170-CT-WB Green 16986 M-170-CT Green

Weight: from 26,4 Kg. Max lift: 250 Kg. LxWxH: 1650x600x1150 Tray: 7mm thick HDPE Volume: 90 L






Wheelbarrows Made in Holland

34

WB





150 series

Profimax Wheelbarrows

Our aluminium Profimax wheelbarrows: the embodying performance excellence! Engineered to perfection, they boast unparalleled strength while being incredibly lightweight. Crafted with a robust 7mm thick HDPE tray, these wheelbarrows effortlessly transition from street paving to heavy-duty construction tasks as well as landscaping/gardening.

> 18930 M-151-ALU-CT-WB Red 16598 M-151-ALU-CT Red 16597 M-151-ALU-L4 Red

18449 M-151-ALU-CT-WB Green 18445 M-151-ALU-CT Green 18446 M-151-ALU-L4-Green

Weight: from 11,7 Kg. Max lift: 250 Kg. LxWxH: 1430x625x870mm Tray: 7mm thick HDPE Volume: 90 L

Wheel options:





L4

WB





Kids Wheelbarrow

The ultimate children's wheelbarrow, equipped with roller bearings and pneumatic tyres for a smooth and safe ride. Strong welded construction, eco-friendly grey powder coating and a plastic handle with closed protective ends. Take your kids' outdoor adventures to the next level with professional quality for the future generation of Matadors!



Weight: 6,5 Kg. LxWxH: 1000x385x350 Tray: 1mm thick Volume: 16L Handle height: 350/330mm





Noka Series Wheelbarrows

Discover the NOKA Wheelbarrow range: the choice for every gardener and agricultural professional. With capacities from 90 to 350 litres, we offer a solution for everyone's needs.

Top balance and durable aluminium frames make our wheelbarrows super light and powerful. For reliability and efficiency in landscaping and agriculture: choose our NOKA series.

15067 M-NOKA BASIC L4

Weight: 13 Kg. Max lift: 250 Kg. LxWxH: 1410x600x700mm Tray: HDPE 6mm Volume: 80L



14577 M-NOKA 160 CT WB PP ALUMINIUM 18882 M-NOKA-160 CT PP ALUMINIUM 18884 M-NOKA 160 L4 PP ALUMINIUM

Weight: from 14,6 Kg. Max lift: 250 Kg. LxWxH: 1600x680x800mm Tray: 6,5mm thick Polypropylene Volume: 160L




18883 M-NOKA 160 CT 2W PP ALUMINIUM 18885 M-NOKA 160 L4 PP 2W ALUMINIUM

Weight: from 17,4 Kg. Max lift: 250 Kg. LxWxH: 1600x680x800mm Tray: 6,5mm thick Polypropylene Volume: 160L



Wheel options:





16155 M-NOKA-230 CT 2W 16154 M-NOKA-230 L4 2W

Weight: from 25 Kg. Max lift: 250 Kg. LxWxH: 1600x900x730mm Tray: 6mm thick HDPE Volume: 230L

16157 M-NOKA-350 CT 2W 16156 M-NOKA-350 L4 2W

Weight: from 32 Kg. Max lift: 250 Kg. LxWxH: 1980x900x780mm Tray: 7mm thick Polyethylene Volume: 350L







Handtruck Collection

About Handtrucks

An indispensable tool for various tasks, our selection of handtrucks ensures the perfect solution for every situation. From the timeless and sturdy steel models to the modern and lightweight aluminium variants, our range caters to diverse needs. Explore our collection of handtrucks, designed to be the ideal companion for any job, providing both classic reliability and innovative, agile options where beauty meets quality.


Oval tubing for extra comfort and strength

Natural rubber grips for protection






High tension steel or aluminium foot iron



Aluminium Handtrucks	46-49
Steel Handtrucks	50-53
Foldable Handtrucks	54-57 58-59
Various Handtrucks	

Aluminium Handtrucks

Our premium aluminum handtrucks! Super lightweight, ergonomic, and incredibly strong. Crafted from magnesium & titanium reinforced aluminum with natural rubber handles for a firm grip. Upgrade your material handling game today and experience the difference!



Weight: from 7,8 Kg. Max lift: 200 Kg. LxWxH: 430x425x1191mm Plate WxD: 450x300mm



16408 M-NST-200 CT ALU 16407 M-NST-200 L4 ALU


Weight: from 9,4 Kg. Max lift: 350 Kg. LxWxH: 450x585x1100mm Plate WxD: 400x157mm



18779 M-NST 250 CT ALU 4530 18778 M-NST 250-L4 ALU 4530


Weight: from 9,7 Kg. Max lift: 350 Kg. LxWxH: 500x505x1376mm Plate WxD: 450x300mm





- 16410 M-NST-300-CT-ALU 16409 M-NST-300-L4 ALU 17939 M-NST-300-CT ALU 4530 17051 M-NST-300-L4 ALU 4530
- Weight: from 8,6 Kg. Max lift: 350 Kg. LxWxH: 500x505x1380mm Plate WxD: 285x240mm





Weight: from 10 Kg. Max lift: 350 Kg. LxWxH: 500x620x1170mm Plate WxD: 400x140mm



19125 M-NST-550 CT

Weight: 14,9 Kg. Max lift: 350 Kg. LxWxH: 630x665x1110mm Plate WxD: 580x140mm



Aluminium Handtrucks

Our professional aluminum handtrucks! Super lightweight, ergonomic, and incredibly strong. Optionally equipped with our stair guides, allowing the handtruck to navigate stairs and thresholds without damage. Crafted from magnesium & titanium reinforced with handles from natural rubber for a firm grip. Upgrade your material handling today and experience the difference.

18806 M-NST-250-CT ALU 4530 GL

Weight: 11,7 Kg. Max lift: 350 Kg. LxWxH: 500x505x1376mm Plate WxD: 450x300mm



18846 M-NST-300-CT-ALU + GL 18929 M-NST-300-L4-ALU + GL

Weight: from 9,3 Kg. Max lift: 350 Kg. LxWxH: 500x505x1380mm Plate WxD: 265x245mm




18782 M-NST-300-CT-ALU + Lift

Weight: 18,8 Kg. Max lift: 350 Kg. Max lift lifting plate: 100 kg. LxWxH: 650x579x1452mm Fixed plate WxD: 285x240mm, 6mm thick Lifting platform WxD: 450x300mm, 6mm thick

18781 M-NST-Stair guide Stair guide handtrucks Weight: 0,56 Kg.(2 pcs), Material: LLDPE, Color: gray,



Suitable for handtrucks NST-250/300 series, LxWxH: 510x65x20/30mm



C \bigcirc O



14597 M-NST-600 ALU WB

Weight: 16,5 Kg. Max lift: 300 Kg. LxWxH: 650x680x1240mm Plate WxD: 370x280mm



17441 M-NST-650-CT-ALU

Weight: 16,5 Kg. Max lift: 300 Kg. LxWxH: 650x680x1240mm Plate WxD: 380x190mm





Steel Handtrucks

Introducing our professional steel handtrucks: Ergonomic and robust, these durable tools are crafted for optimal performance. We offer the perfect model for every scenario, ensuring versatility and reliability in all your material handling needs.

14052 M-NST-100-CT 14048 M-NST-100-L4

Weight from 10 Kg. Max lift: 200 Kg. LxWxH: 425x430x1191mm Plate WxD: 425x148mm



13037 M-NST-150-CT 13035 M-NST-150-L4

Weight from 10,4 Kg. Max lift: 280 Kg. LxWxH: 490x485x1075mm Plate WxD: 280x225mm



13034 M-NST-200 CT 13032 M-NST-200-L4

Weight from 13,4 Kg. Max lift: 350 Kg. LxWxH: 585x450x1100mm Plate WxD: 400x157mm



C

 \bigcirc

6

F

Ì

16002 M-NST-200-CT 4052 13539 M-NST-200-L4 4052

Weight from 13,6 Kg. Max lift: 350 Kg. LxWxH: 585x450x1100mm Plate WxD: 400x250mm



13516 M-NST-200 XXL CT 12344 M-NST-200 XXL L4

Weight from 13,4 Kg. Max lift: 350 Kg. LxWxH: 585x620x1100mm Plate WxD: 400x400mm



13040 NST-250 CT 13038 M-NST-250 L4

Weight from 15,8 Kg. Max lift: 350 Kg. LxWxH: 500x505x1376mm Plate WxD: 285x240mm



Steel Handtrucks

Introducing our professional steel handtrucks: Ergonomic and robust. We have the perfect model for every scenario.

13043 M-NST-300 CT 13041 M-NST-300 L4


Weight from 14,4 Kg. Max lift: 350 Kg. LxWxH: 500x505x1380mm Plate WxD: 326/265x245mm



14258 M-NST-400-CT 12605 M-NST-400 L4

Weight from 11,8 Kg. Max lift: 200 Kg. LxWxH: 480x450x1150mm Foldable plate LxW: 450x 235mm Fixed plate LxW:145x295mm







Foldable Handtruck Pro

Meet the patented EX-GH 75 & 150: Robust aluminium trolleys, compact but powerful, with a capacity of up to 150 kg! Packed with unique selling points, such as a curved back designed for transporting barrels and bottles, non-marking TPR wheels with ball bearings and an exceptionally compact collapsible aluminium frame with reinforced plastic construction. The addition of a foot pedal increases functionality. Moreover, it comes standard with an adjustable Velcro strap to securely hold the load during transport.





13703 EX-GH-150-STANDARD

Weight 5,44 Kg. Max lift: 150 Kg. Unfolded LxWxH: 500x490x1110mm Folded LxWxH: 500x60x780mm Plate WxD: 490x330mm



17045 EX-GH 75

Weight: 3,80 Kg. Max lift: 75Kg. Unfolded LxWxH: 477x396x1040mm Folded LxWxH: 385x76x563mm Plate WxD: 380x320mm



Foldable Handtruck Pro+

The patented EX-GH150 PLUS is the ideal choice for your heavy-duty needs. It's ultra-compact when folded, versatile with handy features, comfortable to use, and built to last in any condition.



13937 EX-GH-150 PLUS

Weight 5,44 Kg. Weight incl.acc.: 6,15 Kg. Max lift: 150 Kg. Unfolded LxWxH: 500x490x1110mm Folded LxWxH: 500x60x780mm Plate WxD: 490x330mm

Included





13938 EX-GH-150-D-HOEK-PLATE

15461 EX-GH-VELCRO-BELT








13939 EX-GH-150 BARREL-SUPPORT-SET

Foldable Handtrucks

Discover our extensive patented range of professional aluminium folding handtrucks! Whatever the situation, we offer you the perfect model to get the job done.





Platform length adjustable in 4 positions



Weight: 5,20 Kg. Max lift: 125 Kg. Unfolded LxWxH: 488x500x1070mm Folded LxWxH: 488x64x765mm Plate WxD: 490x320mm

Weight: 12,80 Kg. Max lift: 250 Kg. Unfolded LxWxH: 660x650x1190mm Folded LxWxH: 660x135x855mm Plate WxD: 590x450mm




11321 EX-GH 80

Weight: 4,80 Kg. Max lift: 80 Kg. Unfolded WxDxH: 488x500x1070mm Folded LxWxH: 488x64x765mm Plate WxD: 490x320mm



11318 EX-GH 125







Various Handtrucks

For every situation, we have the perfect handtruck. That includes niche situations as well! Whether used/required for weed burning, welding equipment, or moving vending machines or refrigerators, we have the perfect solution.




14595 M-LK-CT 11329 M-LK-V

Max lift: 150 Kg. LxWxH: 520x510x1120mm Plate in depth adjustable: 217 - 342mm Height plate: 40mm

16331 M-GFW105-CT-HOVENIER 15903-M-GFW105-L-HOVENIER

Weight from: 8,2 Kg. Capacity: 75 Kg. Max. 1 bottle of 10,5 Kg. LxWxH: 482x648x1107mm Dimensions plate: (WxD) 250x240mm





11549 M-WRV66

Weight: 37 Kg. Capacity: 500 Kg. LxWxH: 610x368x1700mm Dimensions plate: (WxD) 600x127mm



12072 M-Extension plate for WRV66 LxWxH: 710x305x100





Locks & Security Collection

Protect your assets with premium anti-theft locking solutions

In today's climate of rising thefts targeting materials from vans and delivery vehicles, Matador BV offers more than just traditional vehicle locks. We pride ourselves in providing comprehensive security solutions for all your asset protection needs.

Anti-theft, protect your expensive tools and machines



Place without damage to your van





High tension steel or aluminum





Bull-Locks HUBONHUB® 64 65

Matador® Anti-Theft Bull-Locks

Designed for vans and various other vehicles, our robust patented metal locks offer excellent security without the need to drill into your vehicle to fit the lock. They are available for rear doors, side doors, and towing hooks, ensuring complete coverage. Take proactive measures with Matador® locks to deter break-ins and make theft a daunting task for would-be thieves!



14159 M-Bull-Lock 2.0

Weight: 4,7 Kg. LxWxH: 410x100x260mm Dimensions of the hook frame LxWxH: 80x80x250mm



18633-M-Bull-lock-oval-side* 18632-M-Bull-lock-oval-back*


Weight from: 0,64 Kg. LxWxH: 82x61x71mm Oval LxWxD: 211x90x30mm Bracket LxWxD: 130x90x30mm

*Ask our sales departments if this product is suitable for your vehicle.



HUBONHUB® Your Trailer Coupling Solution and lock in one!

Connecting a trailer yourself has never been so easy, thanks to the HUBONHUB®. When reversing, the rear of your car is protected, preventing accidental damage during coupling. The patented HUBONHUB® is securely attached with four bolts to the coupling. Its cleverly curved shape ensures the towbar's ball lines up precisely with the coupling. Even when not in use, the HUBONHUB® can remain on the coupling, posing no obstacle. For added security against trailer theft, a padlock can be easily placed on the HUBONHUB®, providing peace of mind.



Weight: 1,11 Kg. LxWxH: 145x135x120mm









Logistics Collection

About Building & Logistics

Our ergonomically designed products, easily identified by our unique icon, signify our dedication to providing exceptional quality and functionality for individuals who prioritize excellence in their professional endeavors.

Makes work easier







Ergonomic



Index

Doorjack	70-71
Superdog	72-73
Plaster Steps	74-75
Bucketholders	76
Sheet-trolleys	77
Stepmate	78
Timber trolley	79
Leolift	80
TilHulkk	81
Tesspaver	82-83





Doorjack

The Matador Doorjack - the ideal companion for transporting sheet materials and hanging doors by yourself, saving you time and money. With its ergonomic design, smooth-rolling wheels, and leverage-based door-hanging system, it's a must-have tool for any construction project. Say goodbye to heavy lifting and hello to efficiency with the Doorjack!

15845 M-Doorjack 16611 M-Doorjack XL

Weight: from 7,6 Kg. Max lift: 150 Kg. LxWxH: 1315x236x244mm Inner width 15845: 84mm Inner width 16611: 114mm



17795 M-Doorjack Aluminium

Weight: 6 kg. Max lift: 150 Kg. LxWxH: 1315x236x244mm Inner width: 84mm



19087 Doorjack 4W 19088 Doorjack XL 4W

Weight from: 9 Kg. Max lift: 150 Kg. LxWxH:1315x236x244mm Inner width 19087: 84mm Inner width 19088: 114mm



70

Your Ultimate Rough Terrain Turntable Truck!

The Superhond is smart and sleek, designed to easily pass through standard door openings. With its long handle, exceptional manoeuvrability, and puncture-proof tyres, it's the perfect solution for cruising through rough terrain. The Superhond conquers obstacles and tackles curbs up to 80 cm high effortlessly. With handles on the sides and attachment points for luggage bars, it offers ultimate versatility. The patented Superdog is your partner for effortless material transport.

12255 M-SUPERHOND CT 14082 M-SUPERHOND L4

Weight: from 23,2 Kg. Max lift: 250 Kg. LxWxH: 985x640x350mm Platform LxW: 985x640mm Length handle: 870mm



15004 M-SUPERHOND BACK/SIDE BAR

Weight: 1,5 Kg. LxWxH: 570x30x200mm





Plasterers Steps & Ramps

Meet our plastering steps: your professional choice for plastering and stuccowork. Our platforms have a sturdy tube construction, steps with a 45° angle for superior grip and easy dirt removal. Also meet our double-coated ramp gratings. These have a raised edge with different angles on two sides. This makes the ramp gratings easy to place on various obstacles such as thresholds, sills, uneven scaffolding, bilges, containers/or trailers.

15126 M-STC-2

Weight: 7.2 kg. Max: 150 Kg. LxWxH: 590x560x440mm



15127 M-STC-3


Weight: 9.2 kg. Max: 150 Kg. LxWxH: 740x610x660mm



19103 M-STC ALU

Weight: Max: 6 kg. LxWxH: 740x610x660mm





13063 M-HELLINGSROOSTER **MIDI**

Weight: 11,9 kg. Max: 200 Kg. LxWxH: 1000x600x30mm





13064 M-HELLINGSROOSTER MAXI

Weight: 24,5 kg. Max: 200 Kg. LxWxH: 2000x600x40mm



Bucket and Tub holders

Meet our Ergonomic Bucket Holder, your key to comfort and efficiency. Ergonomic design is paramount and VHP certification guarantees excellence. It moves effortlessly on four wheels and accommodates 10/90-litre buckets, eliminating heavy lifting and bending. Coated for durability and recommended by plasterers. Comes fully assembled for immediate use.





14053 M-EMMERH 10/20L

Weight: 5,4 kg. Max: 60 Kg. LxW: 650x522mm Bucketholder WxH: 256x223mm



14188 M-EMMERH 30L

Weight: 5,6 kg. Max: 100 Kg. LxW: 697x650mm Bucketholder WxH: 300x133mm



12211 M-KUIPHOUDER XL

Weight: 10,8 kg. Max: 250 Kg. WxD: 800x747mm Bucketholder WxH: 3500x252mm



Sheet-Trolleys

Introducing our high-quality sheet-trolleys: Our lightweight sheet cart is both strong and efficient. It features foldable cross push and pull

arms for optimized transport, oval ergonomic natural rubber handles, and a robust Ø20mm axle, supporting a 350 Kg or 500 Kg load capacity.



12326 M-SHEET-TROLLEY 350

Weight: 15 kg. Max: 350 Kg. LxWxH: 1900x546x1300mm

11045 M-SHEET-TROLLEY 500

Weight: 43 kg. Max: 500 Kg. LxWxH: 1600x680x1200mm





Stepmate

The Stapmaat is a safe and efficient solution for lifting crates to heights exceeding 1.80m, with a maximum pallet height of 2.40m. Made from durable aluminum and steel, it features a dual-coated railing for hip support and an anti slip aluminum deep ribbed plate. With robust swivel castors and a unique fixed-to-ground feature, Stepmate lightens the physical burden and ensures smooth, quiet movement. A reliable choice for your handling needs.





13047 M-STAPMAAT

Weight: 48 kg. Max: 220 Kg. LxWxH: 790x790x1370mm



14187 M-TIMBER-TROLLEY CT 70MM 14042 M-TIMBER-TROLLEY LB 70MM

Weight from: 8,3 kg. Max: 300 Kg. LxWxH: 390x365x350mm

Timber trolley

widths and both pneumatic and puncture-proof tyres.

Weight from: 7,2 kg. Max: 300 Kg.

LxWxH: 390x310x350mm

14186 M-TIMBER-TROLLEY CT 170MM 12699 M-TIMBER-TROLLEY LB 170MM

Weight from: 8,8 kg. Max: 300 Kg. LxWxH: 390x410x350mm



18783 M-STAPMAATJE

Weight: 49 kg. Max: 220 Kg. LxWxH: 728x650x1178mm



Introducing our Plate-/DoorsSkate, the perfect solution for effortless transportation of heavy loads such as plates, doors, countertops, and more. With a capacity of 300 kg, it is designed to make your moving tasks easier and more convenient. Fitted with felt on the inside of the clamp, it prevents any damage to your materials. Available in various







Leolift

14483 M-Leolift

Weight: 37 Kg.

Max: 350 Kg.

Introducing the Leolift in the Matador BV catalogue - your go-to solution for effortless window frame handling. Crafted from galvanized steel, this professional lifter offers unparalleled stability with its 3-legged construction, supporting a maximum load of 350 Kg. The width-adjustable clamp, equipped with a rubber foam protective layer, ensures a secure grip on frames ranging with a width from 100mm to 280mm. Its swivel wheels and robust design make it highly maneuverable, while the safety features, including a brake, guarantee smooth operations. Elevate your efficiency and reduce manual lifting with Leolift, designed for the pros who prioritize safety and ease in every project.








19109 M- TilHulkk

Weight: 40 Kg. Max weight: 500 Kg. LxWxH: 860x465x975mm



TilHulkk

Meet the TilHulkk – your solution to stress-free countertop installations. This patented cart, compact and easy to transport, effortlessly handles up to 500 kg of kitchen surfaces such as natural stone or composite and natural stone table tops. With puncture proof and non marking tyres it ensures floor protection. Ditch the traditional heavy lifting; work faster, safer, and more efficiently with the TilHulkk, making countertop installations a breeze for everyone involved.



Tesspaver

Introducing the TESSPAVER – unlocking more square meters in less time. This tile lifting marvel allows for rapid pickup, transport, and laying of large, heavy tiles. With TESSPAVER, you can effortlessly handle multiple tiles simultaneously, transporting them to the desired location and seamlessly placing them side by side. The adjustable blade accommodates tiles of various thicknesses (3 to 8 cm), enabling you to efficiently work on laying, transporting, and even removing old tiles. Elevate your tiling with our patented TESSPAVER for quick and precise tile placement.

19163 M-TessPaver 120T 19164 M-TessPaver 120S

Weight from: 40 Kg. Max weight: 150 Kg. Clamping range from 30 to 120 cm in 2 1/2 cm increments Shipped in two boxes with the following dimensions: LxWxH: 1550x60x110mm Weight: 24 kg LxWxH: 800x600x400mm Weight: 24 kg

19163 M-TessPaver 120T 19164 M-TessPaver 120S

Weight from: 21 Kg. Max weight: 80 Kg. Shipped in one box with the following dimensions: LxWxH: 1380x680x110mm Weight: 22 kg

19165 M-TessPaver 220 Basic

Weight: 20 Kg. Max weight: 80 Kg. Shipped in one box with the following dimensions: LxWxH: 1380x680x110mm Weight: 21 kg





Platformtrucks & Rollcontainers Collection

Platformtrucks & Rollcontainers

Welcome to our Platformtrucks & Rollcontainers category, where quality meets excellence. Explore our diverse range of high-quality solutions, available in both sturdy steel and lightweight aluminum variants. Our commitment to exceptional craftsmanship is evident in products meticulously manufactured in-house. Additionally, we proudly present a selection sourced from the renowned Prestar brand in Japan. Discover the perfect blend of durability and innovation for your material handling needs, featuring super lightweight design, top-notch ergonomics, a durable platform with anti-slip patch, large wheels, precision ball bearings, and super quiet operation.

Very High Quality



Non marking wheels + ball bearings





Non marking bumpers with safety covers



Index

Rebel Premium Rebel Standard Prestar Clax HX Platform Trolleys Prestar Worktainers Agrimover Additional 88-89 90-91 92-95 96-97 98-101 102-103 104-105 106-107



C ₹× \bigcirc Ky x 0 ×0 F \bigcirc Ś





Rebel Premium

Rebel, your ergonomic solution. Crafted from super-light magnesium and titanium-reinforced aluminum, this high-platform champion offers easy folding, non-marking wheels, and a smart design. The fiberglassreinforced platform is strong, lightweight, and non-slip, while extra tubes provide securing options. Discover our premium patented Rebel for hassle-free transport with brake.



10673 M-REBEL400S-2P

Weight: 14,6 Kg. Max weight: 400 Kg. The load-bearing capacity of the top shelf: 50 Kg. LxWxH: 790x490x1135mm Platform LxW: 750x490 & 625x490mm Height handlebar: 1115mm



14562 M-REBEL400M 2P

Weight: 16,2 Kg. Max weight: 400 Kg. The load-bearing capacity of the top shelf: 50 Kg. LxWxH: 1130x620x1190mm Platform LxW: 910x620 & 773x620mm Height handlebar: 1125mm




19124 M-REBEL400M 3P

Weight: 17,5 Kg. Max weight: 400 Kg. The load-bearing capacity of the top and middle shelf: 50 Kg.

LxWxH: 1130x620x1140mm Topshelf LxW: 790x620mm Height handlebar: 1125mm





-

- 12



Rebel Standard

Meet the Rebel Standard - your budget-friendly solution for better ergonomics. It features a 240mm high platform crafted from super-light magnesium and titanium-reinforced welded aluminum tube. While it doesn't have brakes or folding capabilities, it offers a full cargo platform with an external handle connection for easy loading. Its smart V-shape design ensures stability, and the honeycomb high-impact platform is strong yet lightweight. You can rely on the non-slip surface for secure handling. The Rebel Standard is the practical choice for affordable and efficient transportation.

17771 M-REBEL 400S Standard

Weight: 8,4 Kg. Max weight: 400 Kg. LxWxH: 790x490x1115mm Platform LxW: 750x490mm Height handlebar: 1115mm



17772 M-REBEL 400M Standard

Weight: 10 Kg. Max weight: 400 Kg. LxWxH: 970x620x1125mm Platform LxW: 910x620mm Height handlebar: 1125mm



C

 \bigcirc

Kr×

Ó

×O

17774 M-REBEL 400S STANDARD 2P

Weight: 13,6 Kg. Max weight: 400 Kg. Upper platform load capacity: 50 Kg. LxWxH: 790x490x1135mm Platform LxW: 750x490mm Height handlebar: 1115mm



17775 M-REBEL 400M STANDARD 2P

Weight: 15,2 Kg. Max weight: 400 Kg. The load-bearing capacity of the top shelf: 50 Kg. LxWxH: 1130x620x1190mm Platform LxW: 910x620 & 773x620mm Height handlebar: 1125mm)







Prestar

Elevating Quality from Japan. Prestar stands for unique dedication to quality by producing their parts and products in their very own Japanese factory. From tubing to angle bars, castor components to plastic products, every step is meticulously crafted in-house.

For over 40 years, MATADOR® has been exclusively representing Prestar in Europe, solidifying the brand's commitment to quality and innovation. Discover Prestar, where Japanese precision meets material handling excellence.



11365 PR-NB-107-P

Weight: 20 Kg. Max weight: 150 Kg. LxWxH: 740x480x920mm Platform: (LxW) 740x480mm Height handlebar: 790mm



11371 PR-NF-307-P

Weight: 30 Kg. Max weight: 300 Kg. LxWxH: 920x610x1000mm Platform: (LxW) 920x610mm Height handlebar: 800mm









Prestar

Elevating Quality from Japan. What makes Prestar exceptional is their 'Double coating paint' process, akin to high-quality automobile finishes, offering corrosion resistance and stunning aesthetics. Their continuous use of cutting-edge technology sets them apart as they consistently deliver excellence to make work more comfortable for people around the world.

11378 PR-PB-101-P

Weight: 9,5 Kg. Max weight: 150 Kg. LxWxH: 710x450x1150mm Platform: (LxW) 710x450mm Height handlebar: 770mm





11380 PR-PF-301-P

Weight: 14,5 Kg. Max weight: 300 Kg. LxWxH: 930x595x1220mm Platform: (LxW) 895x595mm Height handlebar: 800mm

Weight: 9,5 Kg. Max weight: 200 Kg. LxWxH: 770X490X900mm

(packed in bag) Platform: (LxW) 670x490mm Height handlebar: 740mm

16441 PR-PM-201BK-P

Made in Holland Platformtrucks & Roll Containers

95





Clax

The patented Clax is a versatile and user-friendly trolley with a foldable solid platform. It's perfect for a wide range of applications and comes with features like a tiltable upper tray for bulky items, self-contained rear wheels for step-friendly mobility, movable steering axles, and a simple one-click braking system. Made from durable aluminum and plastic, the Clax can be folded and unfolded in seconds and offers central foot-controlled brakes for added safety. Discover the convenience of the Clax today!

12950 M-CLAX-TROLLEY GREEN One crate included

Weight included 1 crate: 8,3 Kg. Weight without crate: 6,7 Kg. Max weight: 60 Kg. (Upper tray: 20 Kg. Lower tray: 40Kg.) Folded: (LxWxH) 550x180x710mm Unfolded: (LxWxH) 880x540x1010mm Dimensions box: (LxWxH) 700x485x175mm





12951 M-CLAX CRATE

Weight: 1,62 Kg. Volume: 46L LxWxH: 530x370x280mm Folded: (LxWxH) 530x370x70mm









HX Platform trolleys

Our HX Platform trolleys are a comfortable, agile, and stylish solution for various industries, including healthcare, medical, and food sectors. These carts feature a robust aluminum frame, fibreglass reinforced polypropylene and fiberglass shelves, that can withstand temperatures from -20°C to 140.5°C. These trolleys are equipped with four swivel wheels (two with brakes), providing smooth and quiet mobility.

12479 HX-808E-BLACK 12508 HX-808E-3 WHITE


Weight: 9 Kg. Max weight: 250 Kg. 125 Kg. Per shelf. LxWxH: 850x480x950mm Platform: (LxW) 680x450mm



12480 HX-808A-BLACK 12509 HX-808A-3WHITE

Weight: 11,5 Kg. Max weight: 240 Kg. 80 Kg. Per shelf. LxWxH: 850x480x1000mm Platform: (LxW) 680x450mm





12481 HX-808LE-BLACK 12523 HX-808LE-3 WHITE

Weight: 12,5 Kg. Max weight: 250 Kg. 125 Kg. Per shelf. LxWxH: 1100x520x950mm Platform: (LxW) 915x520mm



12482 HX-808LA-BLACK 12517 HX-808LA-3 WHITE

Weight: 16,5 Kg. Max weight: 240 Kg. 80 Kg. Per shelf. LxWxH: 1100x520x1020mm Platform: (LxW) 915x520mm



12483 HX-909B 2L BLACK Weight: 18,5 Kg. Max weight: 250 Kg. 125 Kg. Per shelf. LxWxH: 850x480x950mm Platform: (LxW) 680x450mm



12484 HX-808C BLACK Weight: 14.2 Kg. Max weight: 240 Kg. 80 Kg. Per shelf. LxWxH: 850x480x1000mm Platform: (LxW) 680x450mm




12485 HX-808LE BLACK Weight: 20 Kg. Max weight: 240 Kg. 80 Kg. Per shelf. LxWxH: 1100x520x1020mm Platform: (LxW) 915x520mm



12486 HX-818D-1 BLACK Weight: 21 Kg. Max weight: 240 Kg. 80 Kg. Per shelf. LxWxH: 850x480x1000mm Platform: (LxW) 680x450mm





12511 HX-808I-3 WHITE Weight: 21 Kg. Max weight: 240 Kg. 60 Kg. Per shelf. LxWxH: 850x480x1000mm Platform: (LxW) 680x450mm



15767 HX608E BLACK Weight: 9,1 Kg. Max weight: 200 Kg. Upper shelf: 50 Kg. Bottom shelf: 150 Kg. LxWxH: 790X480X875mm Platform: LxWxH 600X425X95mm



HX Bins

12487-HX-808U BLACK 12490-HX-808U-3 WHITE Weight: 1 Kg. Capacity: 39 L. WxHxD: 350x240x470mm



12488-HX-808US-BLACK 12516-HX-808US-3 WHITE Weight: 0,3Kg. Capacity 17 L. WxHxD: 350x240x200mm



Prestar Worktainers





11389-PR-WL-604

Weight: 56,5 Kg. Max weight: 500 Kg. LxWxH: 1100x800x1700mm



11391-PR-WLP-604

Weight: 53 Kg. Max weight: 500 Kg. LxWxH: 1100x800x1700mm



11393-PR-WS-604

Weight: 43 Kg. Max weight: 500 Kg. LxWxH: 800x600x1700mm



11394-PR-WSP-604

Weight: 42 Kg. Max weight: 500 Kg. LxWxH: 800x600x1700mm



13709-PR-WLP-SHELF PLASTIC

Weight: 6 Kg. Max weight: 100 Kg. LxW: 1030x750mm



13710-PR-WSP-SHELF PASTIC

Weight: 3,8 Kg. Max weight: 100 Kg. LxW: 730x550mm



11401-PR-WL-SHELF

Weight: 8,6 Kg. Max weight: 100 Kg. LxW 1030x750mm



11397-PR-WS-SHELF

Weight: 4,4 Kg. Max weight: 100 Kg. LxW: 720x520mm



Agrimover

Introducing our Agrimovers collection - the perfect solution for efficiently transporting items such as flowers and other agricultural products. We offer various models, including a smaller version and a larger option with both single and double decks. Choose the perfect model for your needs!

10196 M-AGRI-TROLLEY SMAL 1P

Weight: 39Kg. Max Weight:100Kg. LxWxh: 2070x550x788mm



10198 M-AGRI-TROLLEY 1P

Weight: 46,5Kg. Max Weight:100Kg. LxWxh: 2070x661x788mm

19091 M-AGRI-TROLLEY 2P

Weight: 46,5Kg. Weight second platform: 56,1Kg. Max Weight 1P:100Kg. Max Weight 2P: 200Kg. LxWxh: 2070x661x1388mm







Additional

Introducing our Carpet Trolley: robust, with a 500 Kg capacity on pneumatic tires for easy carpet transport. The eco-friendly Matador gray coating and curved handle make it user-friendly.

Meet our Professional Steering Wagon for construction pros. Hammered gray coating, 3mm thickness, rounded corners make it a premium choice. The ergonomic pull rod drawbar ensures efficient and comfortable transportation. Stanchions are available separately.

> 15844-M-CARPET-TROLLEY CT 13080-M-CARPET-TROLLEY L4

Weight: 12,2 Kg. Max weight: 500 Kg. LxWxH: 750x575x421mm

15038-M-STEERINGWAGON-CT 13072-M-STEERINGSWAGON-L4

Weight: 70 Kg. Max weight: 1000 Kg. LxWxH: 2000x1000x500mm

15037 STEERINGSWAGON-STANCHIONS Set 4 pcs. Measurement/pc: (ØxL) 42,4x700mm









E-Matador Collection

About E-Matador

Introducing E-Matador, an extensive collection of electrically powered products meticulously designed to cater to a diverse range of industries. Safety and ergonomics have never held such an important position as they do now. With our E-Matador range, these two crucial elements are smoothly fused into a series of premium products., ensuring that your requirements are not only met but exceeded.

- Environment-friendly/sustainable
- Low vibration
- Ergonomic quality mark
- Smooth driving
- Super silent
- Saves time, saves money

Ergonomic quality mark

Environment Friendly/ Sustainable

Low vibration








Index

E-Barrow M-E-Barrow Powervolt M-Trac 112-113 114-115 114-115 116-119





E-Barrow

Experience the future of heavy-duty hauling with the M-E-BARROW, an innovative electric-driven aluminum wheelbarrow designed to make your tasks easier and more efficient. This powerful workhorse boasts a range of features that makes the E-barrow stand out.





16961-M-E-BARROW-RED

Weight: 26,6 Kg. Max lift: 250 Kg. Volume: 90 L LxWxH: 1430x625x870mm HDPE tray: 7mm thick Max speed: 6 Km/h





M-E-Barrow & M-Powervolt

Experience the future of heavy-duty hauling with the M-E-BARROW, an innovative electricdriven aluminum wheelbarrow designed to make your tasks easier and more efficient. This powerful workhorse boasts a range of features that makes the E-barrow stand out.

18526-M-E-BARROW-135-CTWB

Weight: 33,8 Kg. Max lift: 250 Kg. Volume: 90 L LxWxH: 1460x580x620mm Steel tray: 1,2mm thick Max speed: 6 Km/h

10206-M-E-BARROW NOKA 160

Weight: 29,6 Kg. Max lift: 250 Kg. Volume: 160 L LxWxH: 1600x680x800mm Plastic tray: 6,5mm thick Max speed: 6 Km/h

18799-M-E-BARROW-106

Weight: 57 Kg. Max lift: 250 Kg. Volume: 190 L LxWxH: 1450x540x850mm Max speed: 6 Km/h

14834 M-POWERVOLT

Weight: 80 Kg. Gross capacity: 8.9 kWh Life expectancy: up to 1'000 cycles, >70% SoH Charging time: 5h / Fast charge 2h













M-TRAC 2.0

Introducing the patented M-Trac: Your Ultimate Electric Multitool. Step into the future of sustainable versatility with the M-Trac, the innovative electric multitool that boasts plenty of exceptional features. This remarkable machine operates as a 100% electric multitool, delivering a zero-emission, silent, and low-vibration experience. With the ability to infinitely adjust PTO speed (ranging from 0-1000 rpm) and driving speed (0-6 km/h), the M-Trac offers unparalleled customization. It's equipped with an onboard charger and batteries with a capacity of up to 200 Ah, ensuring power is always at your fingertips. Rated power 14 HP (2 HP drive / 12 HP PTO) peak power up to 30 HP. Additionally, the M-Trac comes standard with working and safety lights, providing an all-inclusive solution for your needs.

15565-M-Trac 2.0

Weight from: 239 Kg. Capacity up to 200 Ah Infinite adjustable driving speed (0-6 km/h)















Workspace Oblection

About Workspace

Welcome to our Workspace catalog, where excellence and ergonomic design converge for an unparalleled experience. Dive into our exceptional range of high-quality solutions, meticulously crafted to prioritize your wellbeing. From the versatile Zami series to the efficient post order truck, each product is designed with your comfort in mind. Immerse yourself in the world of active sitting, where ergonomic principles seamlessly blend in with innovative solutions. Elevate your workspace with our top-tier offerings, promoting both productivity and the well-being of those who occupy these dynamic environments.


Works preventively

Our products are crafted using top-notch materials and advanced machinery to extend their lifespan.











Index

Zami Office Logistics Workspace Logistics 124-125 126-127 128-129

Active sitting







ZAMI

Your Solution for a Healthier Back

Experience a revolution in ergonomic seating with the patented ZAMI, designed to prevent back problems and enhance your overall posture. Its unique double-parabolic seat shape effortlessly encourages you to maintain a wellsupported back while allowing you to switch up your sitting position constantly. Resulting in in a significantly improved body posture. The ZAMI's strenghts are, to name a few, Instant Posture Awareness, Preserving Your Spine's S-Curve, Less Pressure, More Freedom, Versatile Sitting Positions, Spacious Legroom, Sturdy Design, and Sleek Elegance. Discover the ZAMI, the ultimate solution for those seeking comfort, style, and improved well-being all in one ergonomic stool.

10193 M-ZAMI BAR ALU Weight: 3,7 Kg. LxWxH: 545x424x750mm Ideal table height: 1000-1100mm



10192 M-ZAMI SITSTAND ALU Weight: 3,4 Kg. LxWxH: 516x401x650mm Ideal table height: 900-950mm



10191 M-ZAMI ESSENTIAL ALU Weight: 3,2 Kg. LxWxH: 467x362x481mm Ideal table height: ± 750mm



18520 M-ZAMI ESSENTIAL WOOD Weight: 4,1 Kg. LxWxH: 467x362x481mm Ideal table height: ± 750mm



18531 M-ZAMI SITSTAND WOOD Weight: 5,6 Kg. LxWxH: 516x401x650 Ideal table height: 900-950mm



17374 M-ZAMI BCKSTR Weight: 8,5 Kg. LxWxH: 600x600x850mm Ideal table height: 800-980mm

18530 M-ZAMI ERGO COLLEGE Weight: 11,6 Kg. Worktop measurements: 590x350mm Table height: ± 990mm Seat height: 650mm



Office Logistics







11044-M-RIJDEN MAGAZIJN Weight: 36,1 Kg. Max weight: 150Kg. LxWxH: 890x630x1545mm



18647-M-BAKKENREKBAK 2 Weight: 0,6 Kg. Max. capacity: 14L. LxWxH: 350x205x200mm



18646-M-BAKKENREKBAK 2.5 Weight: 0,35 Kg. Max. capacity: 6L. LxWxH: 250x205x130mm

18645-M-BAKKENREKBAK 3 Weight: 0,3 Kg. Max. capacity: 4L. LxWxH: 250x150x130mm

18644-M-BAKKENREKBAK 4 Weight: 0,09 Kg. Max. capacity: 1L. LxWxH: 175x105x75mm







18660-M-BAKKENREKBAKSET* Complete set of bins for container rack and mobile warehouse Total weight: 11,64Kg, Capacity: 96x 1 L. red bins and 10x 4 L. yellow bins, Red bin: Weight: 0,09 Kg. LxWxH: 175x105x75mm Yellow bin: Weight: 0,30 Kg.



10175-M-ZAKHOUDER-COMPLEET Weight: 4 Kg. LxWxH: 440x300x920mm

LxWxH 250x150x130mm




11063-M-WANDHOUDER Weight: 2,3 Kg. LxWxH: 552x229x367mm



18780-M-STICKERDESPENSER Weight: 1,43 Kg. LxWxH: 175x160x120mm Measurements innersize: (LxWxH) 168x130x110mm



Workspace Logistics



15460-M-CARTONTROLLEY Weight: 30 Kg. Max weight: 150Kg. LxWxH: 1201x794x1989mm 11047-M-POST/ORDER TRUCK 9 Weight: 14,4 Kg. Max weight: 150Kg. LxWxH: 890x430x920mm Plaform: (LxW) 400x300mm Suitable for 9 bins of 14L 18863 M-LESSENAAR

VERRIJDB Weight: 23,4 Kg. LxWxH: 670x525x1185mm Desk: (WxD) 660x400mm, Height desk: 1110/1185mm



11048-M-POST/ORDER TRUCK 12 Weight: 16,4 Kg. Max weight: 150Kg. LxWxH: 1190x430x920mm Plaform: (LxW) 400x300mm



Suitable for 12 bins of 14L

18643-M-ORDER/POSTBAK 14L Weight: 0,55 Kg. Capacity: 14L. LxWxH: 410x250x140mm








Parts Index

Handtruck Parts Platformtrucks & Rollcontainers Wheelbarrow Parts

132-133 134-135 136-137

Handtruck Parts





12337-970-Z-KNUCKLE-PROTECTION Weight: 0,18 Kg. LxWxH: 130x58x90mm



16145-M-RUBBER-OVAL-HANDTRUCK-PROTECTION*



*Please contact our

sales department for

the correct quantity

per handtruck model.



10189-M-808-CT 25MM Weight: 1,6 Kg. Capacity: 200 Kg. Dimensions: Wheel: Ø260 x 85mm.





14041-M-808-L 25MM 14047-M-808-L 20MM 11158-M-881-INNERTUBE 11161-M-890-TYRE Weight: 1,2 Kg. Capacity: 250 Kg. Dimensions: Wheel: Ø260 x 85mm.



11310-M808-V-25MM 11326-M-8130-V 20MM Weight: 2,7 Kg. Capacity: 250 Kg. Dimensions wheel: Ø250x60mm



11221-M-982-STARLOCK CAPS 25MM Weight: 0,0125 Kg. Inside starlock Ø25mm Outside starlock Ø43mm

11220-M-981-STARLCOK CAPS 20MM Weight: 0,01 inside starlock Ø20mm Outside starlock Ø36mm

18781 M-NST-STAIRSGUIDE Weight: 0,56 Kg.(2 pcs), Material: LLDPE Suitable for handtrucks NST-250/300 series LxWxH: 510x65x20/30mm





Platformtruck & Rollcontainer Parts



18625-M-TRANSPORTWIEL 130 Weight: 0,734 Kg. Capacity: 150 Kg. Dimensions: Ø130x35xL=200mm



18626-M-TRANSPORTWIEL 160 Weight: 0,572 Kg. Capacity: 150 Kg. Dimensions: Ø160x35mm



13466-PR-ZW-4"PL-L Weight: 0,5 Kg. Capacity: 80 Kg. Dimensions: Wheel: Ø100 x 35mm.



13467-PR-BW-4"/PL-L Weight: 0,32 Kg. Capacity: 50 Kg. Dimensions: Wheel: Ø100 x 35mm.



11335-PR-BW-5"/PL Weight: 0,69 Kg. Capacity: 150 Kg. Dimensions: Wheel: Ø130 x 55mm.



11408-PR-ZW-5"PL Weight: 1,27 Kg. Capacity: 150 Kg. Dimensions: Wheel: Ø130 x 55mm.



11381-PR-BREAK-NB* Weight: 1,73 Kg. Dimensions: (LxWxH) 465x100x185mm

*Also available for: -NF Series (11382) -PB Series (12046) -PF Series (12047) -NG Series (13697)



Wheelbarrow Parts





11264-M-79-Z-RUB

LxWxD: 130x55x38mm

Weight: 0,12 Kg.

Weight: 0,18 Kg.



17044-M-800-CT-15MM-EXTRA-WIDE 17936-M-800-CT-20-EXTRA-WIDE 17937-M-800-CT-15-EXTRA-WIDE Weight 4,3 Kg. Capacity: 250 kg. Dimensions wheel: Ø400x130mm






15082-M-800-L4-BLOK Weight: 3 Kg. Capacity: 250 kg.



12218-M-800-EINDWIEL 25MM CT Weight 3,5 Kg. Capacity 200 kg. 10620-M-800-EINDWIEL 25MM L4 Weight 2,8 Kg. Capacity 250Kg.



12337-970-Z-KNUCKLE-PROTECTION





12338-M-K1-HANDGREEP Weight: 0,28 Kg. LxWxH: 401x31x44mm

Dimensions wheel: Ø400x100mm



11170-M-800-L4 Weight 3 Kg. 11157-M-882-INNERTUBE Weight 0,3 Kg. 11163-M-892-TYRE Weight 1 Kg. Capacity: 250 kg. Dimensions wheel: Ø400x100mm

POS Materials



14618 M-DISPLAY-HUB-ON-HUB



16030-M-DISPLAY-BULL-LOCK (SIDE & BACK)




15034-EX-GH-DISPLAY DOUBLE



15702 M-DISPLAY HOOG WIEL



19154-M-DISPLAY-MATADOR-WHEELS



14534-M-Shop-in-shop



15382-M-DISPLAY-WHEELBARROWS

Coming soon

Below you find an outline of our products that will soon emerge from our production process and be ready for sale. Please contact our back office for updates.

M-Dolly ALU



M-Reel-trolley

M-NST-175



M-Rolcontainer ALU

M-Cabinet dolly









Work made easy.

Disclaimer

Despite the care and attention we spend on this catalogue it might be possible that the information, products and services (further called 'the information') are incomplete or inaccurate. The information in this catalogue is regularly revised and modifications can be made at all times with immediate effect and without prior notice. We cannot guarantee that the information is suitable for the purpose for which the information is consulted. All the information is offered in the state in which it actually is and without any (implicit) guarantee or security with regard to its reliability and/or suitability for a particular purpose or otherwise. We cannot be held liable for any direct or indirect damage of whatever nature, resulting from or in any way connected with the use of this catalogue and/or the information, or with the temporary impossibility to consult the catalogue and/or the information. We also cannot be held liable for any direct or indirect damage which might be the consequence of using the information obtained from this catalogue or the sites to which we refer. Visitors are not permitted to publish or reproduce publications protected by copyright or other information contained in this catalogue without our consent. This also includes the reproduction of information and/or parts there of by means of publication in an electronic (computer) network. © Matador BV

Our products are patented and or have a registered design, if violated we will take legal action.

Technische wijzigingen voorbehouden / Technical changes reserved / Technische Änderungen vorbehalten / Peut-être sujet à des changement techniques

For further information please contact us

The Netherlands

Matador BV

Torenstraat 29 NL-5268 AS HELVOIRT The Netherlands Phone +31-(0)411 641 388 Email info@matadorbv.nl www.matadorbv.com

France

Matador France SARL

Phone +33 (0) 143304813 Email info@matadorbv.fr https://matadorbv.com/fr/

Denmark

Matador Denmark Aps

Email info@matadorbv.nl www.matadorbv.com

