CEMO
for safe storage

PRODUCT DATA SHEET

CEMO hazardous substances rack for drums, 150 L, grey

Order no.: 7734

PRODUCT DESCRIPTION

- suitable for storing drums and containers with water-hazardous and environmentally hazardous substances
- bunds with general construction inspection certification
- drum rack, fully hot-dip galvanised for long service life
- GRP base bund
- low overall height makes everyday handling easier
- can be filled straight above the protruding tray – ideal for a variety of container types
- suitable for a wide range of applications, e.g. for waste oil, lyes and acids
- heavy-duty shelves for reliable usage
- minimal need for monitoring; no additional checks required for the spill tray shelf (compared to steel spill pallets)
- delivered unassembled to save space – quick and easy to assemble













TECHNICAL DATA

Collection volume	150 l
External dimensions (lxh)	80 x 132 x 200 cm
Weight	82 kg
Material	Galvanised steel
Place of installation	Indoor
Container colour	grey

Number of 60/200 L drums	9x 60 L
Storage levels	3
Stackable	No
Height of 1st storage level	69
Height of 2nd storage level	117
Height of 3rd storage level	165
Warranty in years	1
Assembly condition	in parts

EQUIPMENT

Grating material	Galvanised steel
Base bund material	GRP

SUITABLE STORAGE MEDIA

Diesel
Biodiesel
HVO
Heating oil
Oil
Waste oil
Brine
Liquid fertiliser
Antifreeze fluid
Window cleaner
Acids

LOGISTICS

Units per box	1
Units per pallet	1
Freight	General cargo
Customs tariff number	94032080

CERTIFICATION

DIBt certification	Z-40.12-227

ACCESSORIES



3775 - Ball valve discharge ½" nickel plated brass



3776 - Ball valve discharge ¾" nickel plated brass




5917 - Can holder, galvanised for drum rack type 120, 360 and 540



6817 - Steel grating 1300x620 for drum rack types 360




7799 - Steel tray 20 l for drum rack types360 and 540



7800 - Barrel supports 3 off per storage level



7871 - CEMO PE sump for small containers, 40 L, black



8254 - Drum supports _raising_(3pcs.) for drum rack types360 and 540

Link to product

Technical specifications subject to change/Errors and omissions excepted. © CEMO 7734-en 11.26
CEMO GmbH | In den Backenländern 5 | 71384 Weinstadt | Germany | Tel. +4971519636-0 | kontakt@cemo-group.com